


(SW)

PATENT



Docket No.: P-0550

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Young-Suck KIM

Confirmation No.: 7505

Group Art Unit: 2115

Serial No: 10/619,501

Examiner: Thomas C. Lee

Filed: July 16, 2003

Customer No.: 34610

For: CLOCK SYNCHRONIZATION APPARATUS AND METHOD OF DEVICES WITH DIFFERENT CLOCKS

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☒ No additional fee is required.
☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	27	27	0	x \$50.00 =	\$0.00
Independent Claims	5	5	0	x \$200.00 =	\$0.00
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$0.00

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$____. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$ _____ (Check # _____) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.


Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186
Frederick D. Bailey
Registration No. 42,282

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYk/FDB:tlg
Date: April 21, 2006

Please direct all correspondence to Customer Number 34610

Docket No.: **P-0550**



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: **7505**

Young-Suck KIM

Group Art Unit: **2115**

Serial No.: **10/619,501**

Examiner: **Thomas C. Lee**

Filed: **July 16, 2003**

Customer No.: **34610**

For: **CLOCK SYNCHRONIZATION APPARATUS AND METHOD OF DEVICES
WITH DIFFERENT CLOCKS**

AMENDMENT

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

In reply to the Office Action of February 27, 2006, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims.

Remarks begin after the listing of the claims.